
Your Technology Platform, Protected



RFM SERIES HIGH DENSITY NETWORKING CABINET: 36"W



R. F. Mote Series High Density Networking Cabinets include: 2 perforated doors, 2 $side \, panels, 2 \, pair \, cage-nut \, style \, mounting \, rails, levelling \, feet, top \, cover \, plates, and \, rails, levelling \, feet, top \, cover \, plates, and \, rails, levelling \, feet, top \, cover \, plates, and \, rails, levelling \, feet, top \, cover \, plates, and \, rails, levelling \, feet, top \, cover \, plates, and \, rails, levelling \, feet, top \, cover \, plates, and \, rails, levelling \, feet, top \, cover \, plates, and \, rails, levelling \, feet, top \, cover \, plates, and \, rails, levelling \, feet, top \, cover \, plates, and \, rails, levelling \, feet, top \, cover \, plates, and \, rails, levelling \, feet, levelling \,$ hardware package. An extra wide footprint provides added space for managing large volume of cabling required in high density environments.

Each cabinet may be configured with a wide variety of options such as: power bars, ground bars, fan assemblies, chimney ducts, air stops, brush kits, cable troughs, high density vertical and horizontal cable mangers, shelves, electronic door locks, and perforated side panels. Optional accessories can be factory installed in configurations best suited to their end use, or ordered separately and installed by the customer.

Features:

- Lockable perforated front and rear doors
- Doors: Electronic and Combination lock options available
- 2 Solid, lockable, lift off side panels
- 2 Pair mounting rails, standard 19" EIA universal spacing for cage nuts
- Hardware package (24 pcs. x 1/4-20 Cage nuts and screws)
- Top c/w cable access openings (cover plates provided)
- Adjustable levelling feet
- UL 2416 Listed
- UL Rated for up to 3000 lbs Static load
- 4 Grounding points
 - 2 in top (#10-32 x 1/2" stud)
 - 2 in base (1/4-20 x 1/2" stud)
- Durable textured powder coated finish
- Standard colour is textured black powdercoat
- Custom colours (e.g. RAL 7035) also available

Highlights:

- Heavy gauge steel
- All welded construction
- Provisions for fans and cable access
- Cabinet doors are field reversible; hinge kit req'd

36" Wide Cabinet

| | Part number | Α | В | С | #of U's |
|--------------|------------------|--------|--------|-------|---------|
| 19" MOUNT | RFM-364283-UN-19 | 36.150 | 42.150 | 83.00 | 44U |
| | RFM-364290-UN-19 | 36.150 | 42.150 | 90.00 | 48U |
| | RFM-364883-UN-19 | 36.150 | 48.150 | 83.00 | 44U |
| | RFM-364890-UN-19 | 36.150 | 48.150 | 90.00 | 48U |

Note: **Ganging version is available**. Shipped less the side panels and c/w ganging kit - add suffix '-G' to part number. e.g. RFM-364890-UN-19-G

Note²: See catalogue page 1.5.10 for cable management for high density networking cabinets

